HP DesignJet T2600 Multifunction Printer series



Contractual

ENGINEERED FOR COLLABORATION—Turn your workgroups into highly efficient teams



SEAMLESS EXPERIENCE—Designed for all

- Radically simple experience with a 15.6-inch interface and the easy PDF printing with HP Click.
- Engage in a collaborative workstyle with teams by quickly accessing shared folders to print and scan.³
- Empower your workforce. Easily print and share jobs from the cloud with your mobile device and HP Smart app
- Fits in your workplace as the most compact 36 inch All in One and quietest operation, with up to 87% less noise.²

UNLEASH PERFORMANCE—To turn design into delivery

- Showcase design versatility from precise line drafts to boldly colored 3D renders, with HP Bright Office Inks.
- Provide the highest accuracy and display the finest details with the unique Adobe PDF Print Engine.5
- Meet deadlines with speeds up to 180 D/hr, the industries only integrated stacker², and dual rolls.6
- · Easily digitize your projects with automated scanning, user-centric quicksets, and postediting capabilities.

SECURE—World's most secure large-format printer¹

- Best of class network protection with features like HP Secure Boot and whitelisting
- Control who accesses the printer and its confidential documents with secure user authentication features
- Keep your fleet secure with HP JetAdvantage Security Manager.

For more information, please visit http://www.hp.com/go/designjett2600

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: http://www.hp.com/go/learnaboutsupplies

Advanced embedded security features are based on HP review of 2019 published embedded security features of competitive printers, as of February 2019. Based on comparable large-format inkjet printers under \$12,000 (USD) as of December, 2018. IDC figures show that Canon, Epson, and HP combine for 98% share of this printing category worldwide as of Q3, 2018. Most compact footprint calculated using all devices in "Operation mode" with an Open Basket and the arm of the Screen (front panel) spread out to enable user interaction and the scanner lifted on the Canon TX 3000 T36 MFP and the Epson SC-T5200 MFP to enable top media loading. Most quiet according to internal HP testing of sound pressure level during operating mode (plain paper, line drawing, Normal mode) compared to published specification of competitive printers. Percentage calculations of noise based on lineal units vs. Canon TX-3000 published spec of 51dB(A). Fastest print speed based on sustained printing speeds. Only automatic print stacking based on unicity of the integrated stacker versus competitive printers only offering basket or bin with stacking position. ³ Using Lightweight Directory Access Protocol (LDAP).

⁴ Compared to Canon Direct Print & Share and based on "One Click Print." Once image is selected, one-click printing when printing the entire file without any modifications to the print settings. Applicable to PDF, JPEG, IIFF, DWF, HP-GL/2 files

Requires purchase of the HP DesignJet T2600 PostScript® models or optional HP DesignJet PostScript/PDF Upgrade Kit. Highest accuracy and finest details compared to printers without the embedded Adobe technology Excluding places and the based on interest of optional the based of optional the based on interest bas Dual rolls included with HP DesignJet T2600dr multifunction printers only.

Technical specifications

Print speed	180 A1/D hr, A1/D in 19.3 sec on plain media ¹
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
largins	Roll: 3 x 3 x 3 x 3 mm (0.12 x 0.12 x 0.12 x 0.12 in)
idi yil is	Sheet: $3 \times 22 \times 3 \times 3$ mm (0.12 × 0.12 × 0.12 × 0.12 × 0.12 in)
nk types	Dye-based (C, M, Y, pK, G); pigment-based (mK)
Printheads	1 universal printhead
ine accuracy	±0.1% ²
Minimum line width	0.0008 in (0.02 mm) (PDF addressable @ 1200 dpi)
Multifunction capabilities	
	Second lip to 2 indexed (7.52 cm/coc) color at 200 dais up to 10 indexed (25.4 cm/coc) argues to at 200 dais
Scan speed	Scan: Up to 3 in/sec (7.62 cm/sec) color at 200 dpi, up to 10 in/sec (25.4 cm/sec) grayscale at 200 dpi Copy: Up to 6 in/sec (15.24 cm/sec) color at 200 dpi, up to 10 in/sec (25.4 cm/sec) grayscale at 200 dpi
can resolution	
4aximum scan size	Maximum scan width JPEG-36 x 315 in (914 x 8000 mm); TIFF-24 x 590.5 in (610 x 15,000 mm); PDF-36 x 315 in (914 x 8000 mm) 7
Thickness	0.03 in (0.8 mm)
Scan format	JPEG, TIFF and multipage TIFF, PDF and multipage PDF ⁷
can destinations	USB, shared network folder, printer HDD, email
ledia	
landling	Sheet feed, front-loading roll feed, roll switching ⁶ , integrated 100 page output stacker, media bin, automatic horizontal cutter
	Scanner: straight-through scan paper path for sheet and cardboard originals
Sheet size	8.3 x 11 to 36 x 48 in (210 x 279 to 914 x 1219 mm)
Roll size	11 to 36 in (279 to 914 mm) holds up to 300ft
itandard sheets	A4, A3, A2, A1, A0 (A, B, C, D, E)
Brammage	60 to 328 g/m ²
Thickness .	Up to 0.5 mm (19.7 mil)
Applications	Line drawings; Maps; Orthophotos; Presentations; Renderings
lemory	128 GB (file processing) ³
lard disk	500 GB self-encrypting
Connectivity	
nterfaces	Circular Ethernot (1000Pace T) curporting the following standards: TCD/ID ReatD/DUCD /ID/4 eph/) DUCD/C TETD
nterraces	Gigabit Ethernet (1000Base-T), supporting the following standards: TCP/IP, BootP/DHCP (IPv4 only), DHCPv6, TFTP (IPv4 only), SNMP (v1, v2c, v3), Apple Bonjour Compatible, WS Discovery, Embedded Web Server (HTTP, HTTPS), IPse SMTP (email), Raw IP printing (9100), LPD, IPP, WS print, NTLM v2, SMBv3, SSL/TLS, 802.1X authentication (LEAP, PEAP, EAP-TLS), DFS
^o rint languages (standard)	PostScript Printer: Adobe PostScript 3, Adobe PDF 1.7, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4
Print languages (optional)	Adobe PostScript 3, Adobe PDF 1.7
Printing paths	Direct printing from USB flash drive, print from network shared folder, email printing, HP driver for Windows, HP Print Service for Android, Apple AirPrint driver for MacOS and for iOS, HP Print for Chrome OS, HP Click, HP Smart App for iC and Android
Drivers	PostScript Printer: Raster, PostScript and PDF drivers for Windows, AirPrint for macOS
Security features	HP Secure Boot, Whitelisting, TPM, Role Based Access Control, LDAP and Kerberos authentication, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (DoD 5220.22-M), Secure File erase, self-encrypting HDD, encrypted PIN printing, Syslog security logging
Dimensions (w x d x h)	
Printer	EE v 20 v 40 in (1200 v 760 v 1240 mm)
	55 x 30 x 49 in (1390 x 760 x 1240 mm)
Shipping	58.3 x 30.3 x 32 in (1480 x 770 x 810 mm)
Weight	
Printer	Single-roll: 229 lb (104 kg), dual-roll: 240 lb (109 kg)
Shipping	Single-roll: 300 lb (136 kg), dual-roll: 306 lb (139 kg)
What's in the box	HP DesignJet T2600 Multifuntion Printer, printer stand and media bin, 15.6" touchscreen, spindle(s) ⁸ , printheads, introductory ink cartridges, user guide, power cords
HP Software and solution	S HP Click, HP mobile, ePrint and iOS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP SmartTracker (optional)
Environmental ranges	
Operating temperature	41 to 95°F (5 to 35°C)
Dperating humidity	20 to 80% RH
itorage temperature	-13 to 131ºF (-25 to 55ºC)
Acoustics	
	(1) (1)
ound pressure	42 dB(A) (operating); 32 dB(A) (idle); < 17 dB(A) (sleep)
ound power	\leq 5.9 B(A) (operating); \leq 4.9 B(A) (idle); \leq 3.5 B(A) (sleep)
Power	
Consumption	120 W (printing); < 36 W (ready); < 1 W (< 10 W with embedded Digital Front End) (sleep); 0.3 W (off)
Requirements	Input voltage (auto ranging) 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max
Certification	
	USA and Canada (CSA certified)
Safety	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES)
loctromagnotic	
-	
Electromagnetic Environmental Warranty	ENERGY STAR, ErP, WEEE, REACH, EPEAT 90-days limited hardware warranty



Ordering information

Product		
3XB78F 3EK15F	HP DesignJet T2600 36-in PostScript Printer HP DesignJet T2600dr 36-in PostScript Printer	
Accessories		
5NB95A 5NB95AAE CN538A L4R66A N7P47AA	HP SmartTracker USB for DesignJet HP SmartTracker for DesignJet HP DesignJet 3-in Core Adapter HP DesignJet 36-in Spindle HP USB 3.0 to Gigabit LAN Adapter	
Original HP printing supplies		

P pr ng supp

	1XB25A 1XB26A 1XB27A 1XB28A 1XB29A 1XB30A 33P06A	HP 730F 300-ml Yellow DesignJet Ink Cartridge HP 730F 300-ml Magenta DesignJet Ink Cartridge HP 730F 300-ml Cyan DesignJet Ink Cartridge HP 730F 300-ml Cyan DesignJet Ink Cartridge HP 730F 300-ml Gray DesignJet Ink Cartridge HP 730F 300-ml Gray DesignJet Ink Cartridge HP 730F 300-ml Matte Black DesignJet Ink Cartridge
I	33P06A	HP 727/732 DesignJet Printhead

Use Original HP inks and printheads, and HP large format printing materials, to Use original HP inks and printneads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life or HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit hp.com/go/OriginalHPinks.

Original HP large format printing materials

C6810A HP Bright White Inkjet Paper (FSC® certified)^4 (recyclable)^5 36 in x 300 ft (914 mm x 91.4 m)

C6980A HP Coated Paper (PEFC™ certified)⁴ (recyclable)⁵ 36 in x 300 ft (914 mm x

L5C80A HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)⁴ (recyclable)⁵ 36 in x 300 ft (914 mm x 91.4 m) **D9R28A** HP Everyday Matte Polypropylene, 3-in Core 36 in x 200 ft (914 mm x 61

For the entire HP Large Format Printing Materials portfolio, please see HPI EMedia co

Service and Support

	(1-roll)/UB8U4E (2-roll) HP 3 year NBD Onsite HW Support with DMR	
UB9P7E	(1-roll)/UB8U5E (2-roll) HP 4 year NBD Onsite HW Support with DMR	
	(1-roll)/UB8U6E (2-roll) HP 5 year NBD Onsite HW Support with DMR	
UB9P9PE (1-roll)/UB8U7PE (2-roll) HP 1 year Post Warranty NBD Onsite HW		
	Support with DMR	
U1XV4E	HP Preventive Maintenance Service	
H4518E	HP Installation Service with Network Setup	

HP DesignJet Support Services offer installation, maintenance, and extended support services (e.g. 2,3, 4 and 5 years). For more information, please visit hp.com/go/cpc

ECO highlights

- Save paper with automatic print settings and image nesting ENERGY STAR® certified¹ and EPEAT® registered²
- Free, convenient HP ink cartridge recycling³ FSC®..certified papers⁴, recyclable HP media; some HP media eligible for take-back program⁵ •

Please recycle large-format printing hardware and printing supplies. Find out how at our website hp.com/ecosolutions

¹ ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.
 ² EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
 ³ Program availability varies. Please check http://www.hp.com/recycle for details.
 ⁴ BMG trademark license code FSC®-C017543, see http://www.fsc.org. Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit http://www.HPLEMEdia.com.
 ⁵ Recyclable HP papers can be recycled through commonly available recycling programs, or according to region-specific practices. Some HP media are eligible for return through the HP Large Format Media take-back program. Programs may not exist in your area. See http://www.HPLEMedia.com/hp/ecosolutions for details.

 1 Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks. 2 ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with Original HP inks. 3 Denote on CO DAM

Based on 8 GB RAM.

³ Based on 8 GB RAM. ⁴ BMG trademark license code FSC®-C115319, see http://www.fsc.org. HP trademark license code FSC®-C017543, see http://www.fsc.org. BMG trademark license code PEFC™/29-31-261, see http://www.pefc.org. HP trademark license code PEFC™/29-31-198, see http://www.pefc.org. NP trademark license code PEFC™/29-31-198, see http://www.pefc.org. Not all FSC®- or PEFC™-certified products are available in all regions. ⁵ Can be recycled through commonly available recycling programs. ⁶ Applicable for dual-cell priotors poly.

⁶ Applicable for dual-roll printers only.

 ⁷ Applicable for PostScript printers only.
 ⁸ Single-roll printers come with one spindle, dual-roll printers come with two snindles

